

MiraCosta College (MCC)
Certified Nursing Assistant (CNA) Program
TB (Tuberculosis) Clearance (Within 360 days prior to the course start date)

Options:

1. 2-step PPD skin test with negative result: 1st injection and 1st reading, 2nd injection and 2nd reading
2. Chest X-ray with impression documented for TB clearance
3. QuantiFERON blood test with result negative

Information to include:

1. Full name
2. Date of birth

2-step PPD skin test specific:

3. Test dates: Dates received the test (1st and 2nd)
4. Result dates: Dates being read the result (1st and 2nd)
5. Results: (Ex. Negative)
6. Dose: (Ex. 0.1 ml)
7. Site: (Ex. Left arm)
8. Provider (Ex. CVS, Kaiser, Health Services MiraCosta College)
9. Person who prepared document's name, time, date

Acceptable example below;

- 1) 2-step PPD

Health Services
MiraCosta College
Phone 760-795-6675
Fax 760-795-6606

Encounter Date: 06/27/24 12:45 PM
Provider: [REDACTED]

Student ID: [REDACTED] Patient Name: [REDACTED] **Your name**
Birthdate: [REDACTED] Age: [REDACTED]
Gender: [REDACTED]

Assessment
PPD
Test Date: 06/18/24 Induration: 0 Result Date: 06/27/24 PPD Result: Negative Dose: 0.1 ml
Units: 5 TU Route: Intradermal (ID) Site: Left Arm Manufacturer: PAR Lot: 75911

Signed off and finalized by [REDACTED] on 06/27/24 01:49 PM

MiraCosta College
Student Health Services
One Barnard Dr.
Oceanside, CA 92056
ph. 760-795-6675
fax 760-795-6606

Health Services
MiraCosta College
Phone 760-795-6675
Fax 760-795-6606

Encounter Date: 07/05/24 11:00 AM
Provider: [REDACTED]

Student ID: [REDACTED] Patient Name: [REDACTED] **Your name**
Birthdate: [REDACTED] Age: [REDACTED]
Gender: [REDACTED]

Assessment
PPD
Test Date: 07/02/24 Induration: 0 Result Date: 07/05/24 PPD Result: Negative Dose: 0.1 ml
Units: 5 TU Route: Intradermal (ID) Site: Right Arm Manufacturer: PAR Lot: 75911

Signed off and finalized by [REDACTED] on 07/05/24 09:10 AM

MiraCosta College
Student Health Services
One Barnard Dr.
Oceanside, CA 92056
ph. 760-795-6675
fax 760-795-6606

Acceptable example below;
2) Chest X-ray



Imaging [REDACTED]
[REDACTED]
La Jolla, CA 92037
Phone #: (619) 450-0000

Your Partner in Health - For Every Imaging Need

Online results, images and scheduling available at:
imaginghealthcare.com/results

Patient: Your name
Exam Date: [REDACTED]
Accession #: [REDACTED]
At the [REDACTED]
Request of: [REDACTED]

DOB: [REDACTED] Age: [REDACTED]
ID: [REDACTED] Sex: [REDACTED]
CC: [REDACTED]

PROCEDURE:
CR CHEST 2V

COMPARISON:
None.

INDICATIONS:
Positive tuberculosis test.

FINDINGS:
LUNGS: No significant abnormality.
PLEURA: No significant abnormality.
VASCULATURE: No significant abnormality.
MEDIASTINUM / CARDIAC: No significant cardiomeastinal silhouette abnormality.
BONES: No significant abnormality.
OTHER: None.

CONCLUSION:
Normal examination.

Dictated and Electronically Authenticated by: [REDACTED], M.D. on 09/26/ [REDACTED] 02:32 PM Proofread by: [REDACTED]
[REDACTED] M.D. on 09/26/2024 02:32 PM

IMAGING [REDACTED] SPECIALISTS
[REDACTED]
La Jolla, CA 92037 (858) [REDACTED]

Acceptable example below;
3) QuantiFERON



Your name

DOB: [REDACTED] Age: [REDACTED] Specimen: [REDACTED] Collected: 02/23/2024 11:35 Client #: [REDACTED]
 Sex: [REDACTED] Fasting: [REDACTED] Requisition: [REDACTED] Received: 02/23/2024 11:36 CC-MIRA COSTA COLLEGE
 Phone: [REDACTED] Report Status: FINAL Reported: 02/28/2024 03:10 STUDENT HEALTH SERVICES
 Patient ID: [REDACTED] 1 BARNARD DR BLDG 3326
 OCEANSIDE, CA 92056-3820
 Phone: (760) 795-6675
 Fax: (760) 795-6606

QUANTIFERON®-TB GOLD PLUS, 1 TUBE

FINAL

Lab: EN

Analyte	Value	Reference Range	FINAL
QUANTIFERON®-TB GOLD PLUS, 1 TUBE (71773-6) Negative test result. M. tuberculosis complex infection unlikely.	NEGATIVE	NEGATIVE	FINAL
NIL (71776-9)	0.03 IU/mL		FINAL
MITOGEN-NIL (71774-4)	7.76 IU/mL		FINAL
TB1-NIL (64084-7)	<0.00 IU/mL		FINAL
TB2-NIL (88517-8)	<0.00 IU/mL		FINAL

The Nil tube value reflects the background interferon gamma immune response of the patient's blood sample. This value has been subtracted from the patient's displayed TB and Mitogen results.

Lower than expected results with the Mitogen tube prevent false-negative Quantiferon readings by detecting a patient with a potential immune suppressive condition and/or suboptimal pre-analytical specimen handling.

The TB1 Antigen tube is coated with the M. tuberculosis-specific antigens designed to elicit responses from TB antigen primed CD4+ helper T-lymphocytes.

The TB2 Antigen tube is coated with the M. tuberculosis-specific antigens designed to elicit responses from TB antigen primed CD4+ helper and CD8+ cytotoxic T-lymphocytes.

For additional information, please refer to <https://education.questdiagnostics.com/faq/FAQ204> (This link is being provided for informational/educational purposes only.)

Performing Sites

EN Quest Diagnostics-West Hills, 8401 Fallbrook Ave, West Hills, CA 91304-3226 Laboratory Director: Tab Toochinda MD

Key

Priority Out of Range ▲ Out of Range (PEND) Pending Result (PRE) Preliminary Result (FINAL) Final Result (RE) Reissued Result

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - ® and ™ - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

